

Chromatographia Vol. 17, 1983 Contents

Vol. 17, No. 1, 1983

Editorial	3
Originals	
Quantitative Aspects of Flow-Rate in Liquid Chromatography and Reaction-Detection Liquid Chromatography <i>J. H. M. van den Berg/C. B. M. Didden/R. S. Deelder</i>	4
Investigation of Selectivity in Reversed-Phase Liquid Chromatography – Effects of Stationary and Mobile Phases on Retention of Homologous Series <i>H. Colin/A. M. Krstulović/M.-F. Gonnord/G. Guiochon/Z. Yun/P. Jandera</i>	9
High-Performance Liquid Chromatography of Ternary Nickel Dithiocarbamate Complexes Derived from Some Sympathomimetic Drugs <i>G. K. C. Low/P. R. Haddad/A. M. Duffield</i>	16
Determination of the Enantiomeric Purity of Oxfenicine by High-Performance Liquid Chromatography <i>M. W. Coleman</i>	23
The Influence of the Thermodynamic Parameters on the Retention Phenomena in HPLC <i>J. I. Szántó</i>	27
Classification System for the Recognition of Low-Molecular-Weight-Substances from Their Programs <i>R. Milina/N. Dimov/M. Dimitrova</i>	29
Multiple Preparative Chromatography. II. Dual-Step System <i>S. A. Volkov/V. I. Reznikov/V. Yu. Zel'vinskii/K. I. Sakodinskii</i>	33
Reversed-Phase Chromatography of Metal Chelates I. Relations Between Liquid-Liquid Partition, Chromatographically Behaviour and Structure of the Chelating Reagents by the Expression of Copper Dithiocarbamates (in German) <i>W. Schunck/G. Schwedt</i>	37
Use of High-Performance Liquid Chromatography in the Determination of the Radiation Stability of Hypertensin <i>V. Vlasáková/J. Kopolová</i>	41
Short Communications	
Simple Method for the Rapid Analysis of Natural Gas by Gas Chromatography <i>B. D. Škrbić/M. J. Zlatković</i>	44

Permeation Devices for the Preparation of Standard Gaseous Mixtures <i>J. Namiesnik</i>	47
Note to Authors	49
Book Reviews	51
Announcements	51
New Products	56

Vol. 17, No. 2, 1983

Originals	
A Single-Column Gas Chromatographic Method for the Analysis of Gasolines Containing Oxygenated Compounds <i>A. F. Lockwood/B. D. Caddock</i>	65
Simultaneous Gas Chromatographic Determination of Aliphatic C ₂ –C ₂₀ <i>n</i> -Carboxylic Acids and Their Methyl Esters Using SE-30 and OV Quartz Capillary Columns <i>I. O. O. Korhonen</i>	70
Evaluation of the Enrichment Factor in Gas Chromatographic Preconcentration of Impurities <i>L. Y. Gavrilina/V. I. Zheivot/I. D. Emelyanov</i>	75
Chemically-Bonded Stationary Phases for Thin-Layer Chromatography of Metal Ions <i>J. B. Henry/T. R. Sweet</i>	79
Retention Indices in Reversed-Phase Liquid Chromatography. Calibration of the System <i>H. Colin/G. Guiochon/P. Jandera</i>	83
Thermal Desorption – Possibilities and Limitations <i>J. Delcourt/J. P. Guenier/J. Muller</i>	88
DAT Investigations of <i>n</i> -Octadecanol Films on Complex Carbon-Silica Adsorbents as a Method for Determination of Their Surface Properties <i>J. Rayss/K. Surowiec/A. Waksmundzki</i>	93
Detection of <i>Fusarium</i> Trichothecenes (Nivalenol, Deoxynivalenol, Fusarenone and 3-Acetyldeoxynivalenol) by High-Performance Liquid Chromatography <i>A. Visconti/A. Bottalico</i>	97

A Stability-Indicating Assay for Bendrofluazide Using HPLC <i>S. M. Hassan</i>	101
-----------------------------------------------------------------------------------	-----

Announcements	104
Book Review	108
Note of Authors	109
New Products	111

Vol. 17, No. 3, 1983

Originals

Chromatography with a Two Dimensional Column <i>G. Guiochon/M. F. Gonnord/M. Zakaria/L. A. Beaver/A. M. Siouffi</i>	121
Use of Non-Segmented Flow, Post-Column Reaction Detection with Miniaturized HPLC Systems <i>J. A. Apffel/U. A. Th. Brinkman/R. W. Frei</i>	125
Numerical Representation of the Structural Pattern as a Way to Predict HPLC Retention <i>A. Bylina/L. Gluzinski/K. Leśniak/B. Radwański/P. A. Penczek</i>	132
Separation of Citrus Carotenoids by Reversed-Phase High-Performance Liquid Chromatography <i>G. Noga</i>	139
Intermolecular Interactions in Liquid Adsorption Chromatography <i>M. Boumahraz/V. Ya. Davydov/M. Elizalde Gonzalez/A. V. Kiselev</i>	143
Dextran Fractionation on a Semi-Continuous Counter-Current Simulated Moving-Bed Chromatograph <i>P. E. Barker/G. Vlachogiannis/R. M. Alsop</i>	149
Quartz-Capillary Gas Chromatography of Chlorinated Phenols and Catechols <i>I. O. O. Korhonen/J. Knuutinen</i>	154
A Study of the Properties of Octadecyl Phases Bonded to Controlled Porosity Glasses. Investigations by "Inverse" Gas Chromatography <i>A. Dawidowicz/J. Rayss/Z. Suprynowicz</i>	157
Gas Chromatographic Identification of Compounds from Retention Indices and by Different Detectors (in German) <i>J. Winkowski</i>	160
Diffusion Coefficients of Some Furan Derivatives in Dinonyl Phthalate by Gas-Liquid Chromatography <i>R. Alvarez/J. M. Dominguez/J. Coca</i>	166
Book Reviews	168
Announcements	170
Note to Authors	173
New Products	175

Vol. 17, No. 4, 1983

Originals

Determination of C ₁ -C ₄ Fatty Acids in Water as p-Bromophenacyl Esters Using Glass-Capillary Gas Chromatography and Electron-Capture Detection <i>M. Larsson/C. Roos</i>	185
Adsorption Properties of Thermally Pretreated Magnesium Oxide and Magnesium Carbonate <i>J. Masłowska/G. Bazylak</i>	191
Glass-Capillary Gas Chromatography of Chlorobenzenes on SE-30 and Carbowax 20M Columns. Simultaneous Determination of Chlorobenzenes and Chlorophenols <i>I. O. O. Korhonen</i>	195
Monomeric vs Polymeric Bonded Iminodiacetate Silica Supports in High-Performance Ligand-Exchange Chromatography <i>M. Gimpel/K. Unger</i>	200
Reversed-Phase High-Performance Liquid Chromatographic Separation of the α - and β -Isomers of Aspartyl Peptides <i>H. L. Jin/Y. Lin/C. X. Li/Y. H. Yieh/A. H. Chi/Y. J. Lu/C. Zhao/H. Z. Jin/C. Y. Hsing</i>	205
The Importance of Dead Volume in the Optimization of Separation in Reversed-Phase Liquid Chromatography using Ternary Solvents <i>H. Colin/A. Krstulovic/G. Guiochon/J. P. Bounine</i>	209
Column Dead-Time for a Bonded C ₁₈ Phase with Pure Alcohols as Eluents <i>H. J. Möckel/T. Freyholdt</i>	215
Application of Sandwich Thin-Layer Chromatography to the Evaluation of Adsorption Isotherms in Liquid-Solid Systems <i>W. Markowski/K. Czapinska/H. Poppe</i>	221
Effects of the Bonded Alkyl Chain Length on Methylene Selectivity in Reversed-Phase Liquid Chromatography <i>A. M. Krstulovic/H. Colin/A. Tchaplá/G. Guiochon</i>	228
Book Review	230
Announcement	230
New Products	231

Vol. 17, No. 5, 1983

Originals

The Origin of the Flame Ionization Detector <i>I. G. McWilliam</i>	241
Influence of the Eluent Composition on Column Efficiency in Reversed-Phase High-Performance Liquid Chromatography <i>J. D. Wang/J. Z. Li/M. S. Bao/P. C. Lu</i>	244

VOL.
17
1983

HPLC Separation of Benzoic and Hydroxycinnamic Acids in Wines <i>C. García Barroso/R. Cela Torrijos/J. A. Pérez-Bustamante</i>	249	Quantitative Gas Chromatographic Analysis of Bacterial Amines as Their Schiff Bases and Other Derivatives <i>A. Tavakkol/D. B. Drucker</i>	318
On the Use of Alumina in HPLC with Aqueous Mobile Phases at Extreme pH <i>C. Laurent/H. A. H. Billiet/L. de Galan</i>	253	High-Performance LC Bi-Electrode Amperometric Flow-Through Detector with a Carbon-Dropping Mercury Sensor-Electrode System <i>W. Kutner/W. Kemula</i>	322
Infrared Monitoring in Micro-Capillary Liquid Chromatography <i>K. Jinno/C. Fujimoto</i>	259	Esterification of C ₁ -C ₈ Carboxylic Acids to n-Butyl Esters in Aqueous Solutions for Their Gas Chromatographic Analysis <i>I. Molnar-Perl/M. Szakács-Pintér</i>	328
Chromatographic Examination of Hydrophobic Properties of Isomeric Ethylphenols and Phenylenediamines <i>J. Sliwiok/B. Kocjan/B. Korczak</i>	261	Highly Sensitive Differential Pulse Amperometric Detection of Second Generation Anti-Tumor Platinum Compounds in HPLC Effluents <i>W. J. F. van der Vijgh/H. H. J. van der Lee/G. J. Postma/H. M. Pinedo</i>	333
Analysis of the Cinchona Alkaloids by Liquid Chromatography. Reversed-Phase Chromatography on Octadecylsilyl Columns <i>D. V. McCalley</i>	264	Correlations between Retention Data of Isomeric Alkylbenzenes and Physical Parameters in Reversed-Phase Micro-HPLC <i>K. Jinno/K. Kawasaki</i>	337
Extraction Chromatography of some Metals on Silica Treated with a Mixture of Aliquat 336 and Thorin I <i>S. Przeszlakowski/R. Kocjan</i>	266	Elution Characteristics of Some Solutes Used to Measure the Column Void Time on Reversed-Phase Stationary Phases in Micro-HPLC <i>K. Jinno/N. Ozaki/T. Sato</i>	341
Review Paper		Book Review	345
Gas and High-Performance Liquid Chromatography of Phenols <i>E. Tesarova/V. Pacáková</i>	269	Announcement	345
Announcements	285	New Products	346
New Products	289		

Vol. 17, No. 6, 1983

Editorial	299
Originals	
Relationship between the Average Molecular Polarizabilities of Polycyclic Aromatic Hydrocarbons and Their Retention Indices Determined on Various Stationary Phases <i>H. Lamparczyk/D. Wilczyński/A. Radecki</i>	300
Performance Evaluation of Slurry-Packed Capillary Columns for Liquid Chromatography <i>J. C. Gluckman/A. Hirose/V. L. McGuffin/M. Novotny</i>	303
Measurement of Diffusion Coefficients in Multicomponent Gas Mixtures by the Reversed-Flow Technique <i>G. Karaiskakis/N. A. Katsanos/A. Niotis</i>	310
Influence of Intermolecular Interaction with the Eluent on the Retention of Phenol and Aniline on Polar and Non-Polar Surfaces <i>A. A. Aratskova/A. V. Kiselev/Ya. I. Yashin</i>	312
Thermodynamic Characteristics of the Activity of Selected Chromatographic Sorbents <i>T. Kowalska</i>	315

Vol. 17, No. 7, 1983

Editorial	355
Originals	
Broadening of Peaks Eluted Before the Solvent in Capillary GC Part I: The Role of Solvent Trapping <i>K. Grob Jr.</i>	357
Broadening of Peaks Eluted Before the Solvent in Capillary GC Part II: The Role of Phase Soaking <i>K. Grob Jr./B. Schilling</i>	361
Elution Characteristic of Sodium Nitrite in Reversed-Phase HPLC with Aqueous Methanol as the Mobile Phase <i>K. Jinno</i>	367
Stationary Phase Properties of the Organic Molten Salt Ethylpyridinium Bromide in Gas Chromatography <i>F. Pacholec/C. F. Poole</i>	370
Post-Column Pyrolysis Gas Chromatography for Improved Analysis of Copolymers <i>N. Dimov/R. Milina</i>	375

Sample Enrichment and GC-MS Determination of Herbicides in Water <i>F. Mangani/F. Bruner</i>	377
The Use of the Electron Capture Detector in Human and Equine Doping Analysis by Gas Chromatography <i>F. T. Delbeke/M. Debackere/N. Desmet</i>	381
Enrichment and Trapping of Volatile Trace Components by Means of Chromatographic Solvent Evaporation <i>J. Roeraade/S. Blomberg</i>	387
The Use of Organic Modifiers in Ion Exchange Chromatography on Alumina. The Separation of Basic Drugs <i>C. J. C. M. Laurent/H. A. H. Billiet/L. de Galan</i>	394
Book Reviews	399
Announcements	400
New Products	402

Vol. 17, No. 8, 1983

Originals

Analysis of Trace Volatile Organic Compounds in Coffee by Headspace Concentration and Gas Chromatography-Mass Spectrometry <i>T. H. Wang/H. Shanfield/A. Zlatkis</i>	411
Studies on the Separation of Metal Acetylacetonates by Gas Chromatography <i>J. Małowska/S. Starzyński</i>	418
A Study of Some of the Parameters in Purge and Trap Gas Chromatography <i>E. R. Adlard/J. N. Davenport</i>	421
An Ionophoretic Study of the Interactions between Metal Ions and 1-Phenyl-3-pyrazolidinone <i>J. Małowska/M. E. Guzek</i>	426
Retention Parameters of Aromatic Polar Species via Reversed-Phase Liquid Chromatography with Application to Coal Liquefaction Products <i>Patricia G. Amateis/L. T. Taylor</i>	431
A Study of the Properties of Octadecyl Phases Bonded to Controlled-Porosity Glasses II. Application in Liquid Chromatography <i>J. Rayss/A. Dawidowicz/Z. Suprynowicz/B. Buszewski</i>	437
Analysis of Technical Grade Sorbose by Gas Chromatography-Mass Spectrometry of the Trimethylsilyl Derivatives <i>R. Novina</i>	441
Correlation Between the Retention Data of Polycyclic Aromatic Hydrocarbons and Several Descriptors in Reversed-Phase HPLC <i>K. Jinno/K. Kawasaki</i>	445
High-Performance Liquid Chromatography of Metal Ions on a Bonded Stationary Phase <i>K. T. DenBleyker/J. K. Arbogast/T. R. Sweet</i>	449

Static Coating of Capillary Columns Using Mixed Solvents <i>R. C. Kong/M. L. Lee</i>	451
-----------------------------------------------------------------------------------------	-----

Short Communication

Separation of Different Valency States of Iron, Arsenic, Antimony, Mercury, Tin and Chromium by Thin-Layer Chromatography <i>Nada Perišić-Janjić/V. Canić/Svetlana Radosavljević</i>	454
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----

Book Reviews	456
--------------	-----

Announcements	456
---------------	-----

New Products	458
--------------	-----

Vol. 17, No. 9, 1983

Originals

Anion Selective Microelectrodes as Femtolitre Cell Volume Detectors for Open-Tubular Column LC <i>Z. Fröbe/K. Richon/W. Simon</i>	467
High-Performance Liquid Chromatography of Some Biologically Important Cholesterol Oxides <i>C.-S. J. Shen/A. J. Sheppard</i>	469
Evaporation of the Liquid Stationary Phase in Gas Chromatography <i>V. G. Berezkin/V. S. Gavrichev</i>	472
Glass Capillary Column with Nematogenic Liquid Crystals as Stationary Phases for Separating Polycyclic Aromatic Hydrocarbon <i>F. Janssen</i>	477
Practical Aspects of the Dependence of Polarity on Temperature <i>K. Grob/G. Grob</i>	481
Liquid Chromatography of Xanthate Complexes <i>H. Eggers/H. A. Rüssel</i>	486
The Structure of the n-Octadecanol Film on the Carbonized Surface of Complex Carbon-Silica Adsorbents <i>J. Rayss/K. Surowiec/J. Skubiszewska/A. Waksmundzki</i>	491
Gas Chromatographic Analysis of C ₁ -C ₂₀ Carboxylic Acids Esterified in Aqueous Solutions as Isobutyl Esters <i>I. Molnár-Perl/M. Szakács-Pintér</i>	493
Concentration of Terpenes on Solid Sorbents. A New Method for Determining the Overall Efficiency <i>M. L. Riba/E. Randrianalimanana/L. Torres/J. Mathieu</i>	497

Short Communications

Device for the Preparation of Standard Gaseous Mixtures <i>M. Bownik/J. Namieśnik/L. Torres</i>	503
Improved N-P Thermionic-GLC Resolution Using the SGE-Solids Injector <i>B. L. Worobey</i>	505

VOL.
17
1983

Book Review	507
Announcements	508
New Products	510

Vol. 17, No. 10, 1983

Editorial	519
Originals	
Retention of Some Phenyl-Substituted and Bicyclic Hydrocarbons on Graphitized Carbon Black <i>E. V. Kalashnikova/A. V. Kiselev/K. D. Shcherbakova</i>	521
Chromatographic Determination and Molecular-Statistical Calculation of Retention Volumes of Oxygen-Containing Organic Substances on Graphitized Thermal Carbon Black. Part 1: Cyclic Ethers and Ketones <i>A. V. Kiselev/D. L. Markosyan</i>	526
Chromatographic Determination of the Thermodynamic Adsorption Characteristics of Saturated Tricyclic Hydrocarbon Isomers Using Capillary Columns with Graphitized Carbon Black <i>A. V. Kiselev/V. I. Nazarova/K. D. Shcherbakova/E. Smolková-Keulemansová/L. Feltl</i>	533
Gas Chromatography - Mass Spectrometry of Volatiles Released from Plastics Used as Building Materials <i>A. V. Kiselev/V. V. Maltsev/B. Saada/V. A. Valovoy</i>	539
Liquid Chromatography of Benzene Derivatives on a Porous Methacrylate Copolymer Containing Epoxy Groups <i>A. N. Ageev/A. A. Aratskova/L. D. Belyakova/T. N. Gvozdevich/A. V. Kiselev/Ya. I. Yashin/J. Kálal/F. Švec</i>	545
New Precision Method for Automatic Quality Control of Raw Materials in the Soap Industry <i>L. Julin/P. Sunila/J. Enqvist</i>	549
Open Tubular Columns Prepared with Very Thick Liquid Phase Film. I. Theoretical Basis <i>L. S. Ettre</i>	553
Open Tubular Columns Prepared with Very Thick Liquid Phase Film. II. Investigations on Column Efficiency <i>L. S. Ettre/G. L. McClure/J. D. Walters</i>	560
Nonextractable Cyanopropyl Polysiloxane Stationary Phases for Capillary Chromatography <i>B. E. Richter/J. C. Kuei/L. W. Castle/B. A. Jones/J. S. Bradshaw/M. L. Lee</i>	570
Tswett Chromatography Medals for 1983	574
Book Reviews	576
Announcements	576
New Products	583

Vol. 17, No. 11, 1983

Editorial	587
Originals	
Retention Increments of Aromatic Esters <i>J. K. Haken/H. N. T. Hartley (nee Dinh)/D. Srisukh</i>	589
Errors in the Measurement of Retention Indices on Packed Columns <i>F. Vernon/J. B. Suratman</i>	597
The Retention Index System Applied to Alkylbenzenes and Monosubstituted Derivatives <i>F. Vernon/J. B. Suratman</i>	600
Gas Chromatographic Retention Characteristics of Nitrated Polycyclic Aromatic Hydrocarbons on SE-52 <i>C. M. White/A. Robbat Jr./R. M. Hoes</i>	605
The Reason for Non-Linear Variation of Specific Retention Volumes and Retention Indices for Members of Homologous Series of Organic Compounds <i>R. V. Golovnya/D. N. Grigoryeva</i>	613
Purification of Synthetic Warburgan Intermediate by Open Column and High Performance Liquid Chromatography <i>J. D. Warthen Jr./R. M. Waters/J. L. Flippen-Anderson/R. Gilardi</i>	623
Low Surface Area Carbonized Silica Obtained by the Pyrolysis of Dichloromethane: A Column Packing for Adsorption and Exclusion Chromatography <i>A. L. Dawidowicz/A. Gierak/A. Waksmundzki</i>	627
Chromatographic Behaviour of Acids on Macro-Porous-Polystyrene Gels <i>T. Hanai/J. Hubert</i>	633
Thermodynamic Characteristics of the Behaviour of Higher Aliphatic Amines on Selected Cellulose Sorbents <i>T. Kowalska</i>	640
Dal Nogare Award	643
Announcements	644
New Products	644

Vol. 17, No. 12, 1983

Originals	
Solvent Generated Liquid-Liquid Chromatography with Nonaqueous Ternary Systems <i>J. F. K. Huber/M. Pawlowska/P. Markl</i>	653
Empirical Multiparameter Relationships Between Retention Indices and Physicochemical Properties of Alkylbenzenes <i>J. Bermejo/M. D. Guillen</i>	664

Use of a Stationary Phase with a Silica-Bonded Electrically Neutral Non-Macrocyclic Ligand for HPLC Separations of Steroids <i>C. H. Loesch/W. Simon</i>	669	Gas-Liquid Chromatographic Resolution of Free Dichlorophenol Isomers on New Stationary Liquid Phases <i>A. Ono/Y. Masuda</i>	691
Gas Chromatographic Analysis of Methyldeeton <i>A. Mocanu/A. Fărcaș</i>	673	Method for the Separation of Al (III), Fe (III) and Ce (III) Complexes with p-Hydroxybenzoic Acid on Weakly-Alkaline Anion Exchangers <i>J. Masłowska/M. Piętek</i>	693
A Comparison of Eight Commercial Reverse-Phase (ODS) Columns for the Separation of Hydroxylated Derivatives of 7,12-Dimethylbenz(a)anthracene <i>B. Sheikh/J. E. Tomaszewski</i>	675	Behaviour of Different Groups of Pesticides during Liquid-Solid Chromatography on Silica Gel with Ternary Mobil Phases <i>E. Papadopoulou-Mourkidou/Y. Iwata</i>	695
Chromatographic and Mass Spectrometric Characterization of the Structures of the Polypeptide Antibiotics Samarasporin and Stilbellin and Identity with Emerimicin <i>H. Brückner/G. Jung/M. Przybylski</i>	679	Ligand Exchange Separation of Phenols on Alumina in Fe (III) Form <i>J. P. Rawat/M. Iqbal/Chitra</i>	701
The Role of Achiral Sorbent Matrix in Chiral Recognition of Amino Acid Enantiomers in Ligand-Exchange Chromatography <i>V. A. Davankov/A. A. Kurganov</i>	686	Book Reviews	705
		Announcements	705
		New Products	706

Chromatographia Vol. 17, 1983 Subject Index

Achiral sorbent, for amino acids	686	-, of dual step GC	33
Active carbon trap	88	- ratios	83, 545
Activity coefficients, in LC	27	- -, and hydrophobicity	633
Additivity concept	600	Capillaries, fused silica	65, 70,
Adsorption from solution	143, 312		154, 549
- isotherms, by GSC	497	- -, -, packed	259
- -, - TLC	221	- -, static coating of	451
- layer capacity	221	Capillary columns, with graphitised carbon	533
- -, of terpenes	497	- -, - thick films	553, 560
Aliphatic amines, higher	640	- GC	451
Aliquat 336	266	- -, of chlorinated catechols	154
Alkylammonium salt extractants	266	- -, - phenols	154
- benzenes, isomeric, retention of	337	- -, - fatty acids	549
- -, physicochemical properties of	664	- LC, with fused silica columns	303
- -, RI of	600, 664	- packed columns, in LC	259
Alumina, Fe (III) form	701	Carbon potentials	526
- -, ion-exchange on	394	Carbonised silica	627
- -, modified for LC	253	- surface, of adsorbents	491
Amino acids, by ion-exchange	679	Carbon-silica, surface properties of	93
- -, enantiomeric	686	Carbosil	93
- -, LC of	23	Carbowax 20M	195, 597,
Amperometric detection in LC	333		600, 616
Amphetamines, GC of	384	Carbowax 1000	616
Aniline, retention of in LC	312	Carboxylic acid esters, GC of	493
Anion-exchange resin	638	Carotenoid pigments, LC of	139
- exchangers, weak base	693	Cell volume, femtolitre	467
- selective electrodes	467	Cellulose powder, for TLC	640
Apiezon L	600, 616	Chain length, of bonded phases	337
Aqueous methanol, mobile phase	367	Chelates, structure of	37
- organic mobile phases	394	Chemically bonded layers, for LC	143
Aromatic acids, LC of	633	- phases	37
- esters, elution order of	596	- -, for TLC	79
- -, RI of	589	- -, silica, in LC	200
Aromatics, polar	431	Chiral recognition, of amino acids	686
Aspartyl peptides, α - and β -isomers of	205	Choice of stationary phase, for GC of phenols	270
Atmospheric pollutants, sampling of	88	Cholesterol oxides, LC of	469
Atomic absorption spectrometry	399	Chromatographic solvent evaporation	387
Average molecular weights, of polystyrenes	631	- spots, visualisation of	640
		Chromatography carbohydrates, CRC Handbook of	230
Bacterial amines, derivatives of for GC	318	- -, history of	241
Band broadening, in LC	244	Chromatocopy	526
- -, - reactors	128	CN-modified phase	486
Basic drugs, separation of	394	Coal liquefaction products	431
Bendrofluzide, stability of by LC	101	Coffee volatiles	411
Benzene, in water	421	Column dead time	341
Benzoic acid, in wine	249	- liquid chromatography - see LC	
Binary electrode detector, for LC	322	- performance index	303
BMBT, liquid crystals	477	- -, of packed capillaries	303
μ -Bondapak C18	249, 469	- switching, in GC	160
Bonded alkyl chain length, in LC	228	- void volume, in LC	367
- chains, conformation of	143	Complexing ligands	200
- phase, in LC	449	Concentration, headspace	411
p-Bromophenacyl esters, GC of	185	Controlled porosity glass	157
Buffer composition, in ion-exchange	394	Copolymers, GC analysis of	375
		Copper dithiocarbamates	37
Calibration gases	503	Correlation analysis, in LC	132
Capacity factor	338, 341,	C-parameter in LC	200
	445	Cross-sectional area, of bonded group	202
- -, in LC	27	Cryogenic focussing	421
- factors	561	Cyanopropyl polysiloxane, cross-linked	570
- -, in LC	132	- -, phases for GC	570

Dead-time, in LC	215	Gas streams, mixing of	503
— volume, in LC	209, 367	GC, detectors for	241
DEP amines	318	—, capillary	357, 361, 387, 423, 441, 549, 570, 623
Derivatisation and detection of phenols	272		
Detector, reaction	4	—, — packed columns	533
—, — in LC	125	—, enrichment factor in	75
Detectors, GC	160	—, for dope analysis	381
Dextran fractionation, semi-continuous	149	— -Fourier transform IR	560
Diastereoisomeric amides, LC of	23	—, fused silica capillary	154, 195
α , β -dibromoacetophenone	185	see also Capillaries, fused silica	
Dichloromethane, pyrolysis of	627	—, glass capillary	185, 195, 477
— phenol isomers, relative retention of	692		
Differential pulse amperometry	333	—, in soap industry	549
— thermal analysis	93, 491	—, inverse	157, 491
Diffusion coefficients, by GC	310	—, liquid stationary phase in	472
— —, calculation of	553	—, measurement of adsorption in	497
β -diketone bonded phase	449	—, — diffusion coefficients in	166
4,4'-dimethoxyazoxybenzene liquid phase	691	— -MS	188, 411, 441, 483, 539
7,12-dimethylbenz(a)anthracene, hydroxylated derivatives of	675		
— — —, retention times of	678	— —, of herbicides	377
Dinonyl phthalate	166	—, of acetylacetonates	418
DIOL-modified phase	486	—, — alkylbenzenes	600, 664
3,6-dioxaoctanedioic amide	669	—, — atmospheric pollutants	88
Dipole moments, of nitroquinolines	611	—, — bacterial amines	318
Dissociation constants	633	—, — n-butyl esters	328
DNP amines	318	—, — carboxylic acids	70, 328
Dodecylbenzenesulphonate, stationary phase	691	—, — chlorobenzenes	195
Dowex 2 WX 8	693	—, — — phenols	195
Drimenin, LC of	623	—, — copolymers	375
Dropping mercury electrode	322	—, — cyclic ethers	526
Drug metabolites	705	—, — dichlorophenol isomers	691
		—, — fatty acid esters	493
Effect of mobile phase, in TLC	224	—, — — acids	185
Electron-capture detector	185	—, — furan derivatives	166
— — detection, in doping	381	—, — gasolines	65
Electrophoresis	426	—, — homologous series	613
Eluent composition, and efficiency of LC	244	—, — hydrocarbons	521, 533
Elution characteristics	367	—, — ketones	526
— —, in LC	341	—, — low MW hydrocarbons	44
Emerimicin	679	—, — methyl deceton	673
Enantiomeric ligands	16	—, — — esters	70
— purity	23	—, — natural gases	44
— resolution	686	—, — nitrated PAH	605
Enrichment factor, in GC	75	—, — oxygenated compounds	65
Ephedrine-norephedrine, GC of	383	—, — phenols	269
Equine doping analysis	381	—, — plastics volatiles	539
Esterification, in aqueous solution	328, 493	—, on carbon-silica	93, 491
Ethers, GSC of	526	—, — graphitised carbon black	521, 526, 533, 539
Ethyl pyridinium bromide, molten in GC	370		
— — —, properties of	370	—, on molten ethyl pyridinium bromide	370
Exclusion chromatography	627	—, post column pyrolysis	375
Extra-column effects, in LC	244	—, preconcentration with	75
Extraction chromatography on silica	266	—, purge and trap	421
Extractive alkylation	188	—, qualitative analysis in	160
		—, relative retention in	605
Fatty acid analysis	493	—, retention data	75
Film thickness, calculation of	561	—, — indices	160, 481, 597
Flame ionisation detector, applications of	243		
— — —, development of	241	—, reversed flow	310
Flash pyrolyser	375	—, standard mixtures for	503
Flow-rate, in LC	4	—, thermionic detection	505
Fluorine-containing Schiff bases	319	—, thermodynamics of	613
Food analysis, by LC	97	—, two dimensional	411
Fructose, GC of	441	—, with carbon-silica adsorbents	93
<i>Fusarium</i> trichothecanes, detection of	97	Gel-permeation chromatography — see size exclusion chromatography	
Fused silica capillary columns — see Capillaries, fused silica		Glass bead supports, in GC	166
Gamma radiolysis products	41	Glasses, controlled porosity	437
Gas Chromatography — see GC		Glassy carbon electrode	322
Gas-solid chromatography, of hydrocarbons	191		

Graphitised carbon black	377	-, - catecholamines	125
- - -, for GC	521, 526,	-, - chelates	37
	533, 539	-, - cholesterol oxides	469
Grob mixture	564	-, - cinchona alkaloids	264
		-, - citrus carotenoids	139
Head space analysis	387, 411,	-, - 7,12-dimethylbenz(a)anthracene derivatives	675
	424	-, - homologous series	9
Heart cutting	411	-, - hypertensin	41
Heats of adsorption on carbon	531	-, - metal ions	449
Henry's constants	143, 521	-, - mycotoxins	97
Herbicides, in water	377	-, - Ni complexes	16
Hesse, Prof. Gerhard	355	-, - nitroanilines and nitrophenols	322
Heterocyclics, aromatic	431	-, - oxfenicine	23
High-performance liquid chromatography		-, - PAHs	445
- see LC		-, - pesticides	695
Homologous series, LC of	9	-, - phenols	269, 701
HPLC - see LC		-, - polypeptides antibiotics	679
Human doping analysis	381	-, - sodium nitrite	367
Hydrocarbon, analysis of	169	-, - steroids	669
- , GC of	65	-, - warburganal intermediates	623
Hydrophobic ions, effect in LC	633	-, - wines	249
- parameter	337	-, - xanthate complexes	486
- properties	261	-, on alumina	253
p-hydroxybenzoic acid complexes	693	-, - bonded porous glass	437
Hydroxycinnamic acid, in wine	249	-, - macroporous polystyrene	633
Hypersil ODS	101, 264	-, - optimisation of	209
Hypertension, radiation stability of	41	-, - packed capillary columns	303
		-, - porous methacrylate	545
Identification, from pyrograms	29	-, - quantitative	4
- , of compounds in GC	160	-, retention	27, 132
- , - phenols	273	-, - indices	83
Iminodiacetate silica, in LC	200	-, - model	83
- silicas, preparation of	202	-, reversed phase	9, 37,
Infrared monitoring	341		41, 83,
- , in LC	259		139, 205,
Interaction index, in LC	83		209, 215,
- indices	9		228, 244,
Internal calibration	88		264, 337,
Inverse GC	491		341, 367,
Ion chromatography	168		431, 445,
- exchange, of amino acids	680		469, 486,
- - -, on alumina	253, 394		653, 669
- exchangers, in analytical chemistry	169	-, selectivity in	9, 83,
Ionophores, immobilized	669		312
Isobutyl esters	493	-, solvent generated	653
		-, with aqueous mobile phases	253
Ketones, GSC of	526	-, - micro-capillaries	259
K _D values, on Al ₂ O ₃	703	-, - ternary solvents	209
Kováts, Ervin	587	-, - two dimensional column	121
		Lederer, Professor Edgar	299
LC	4	LiChrosorb RP-18	97
- , adsorption on carbonised silica	628	Lichrospher Si500, for LC	628
- , amperometric detector	322	Ligand exchange, of phenols	701
- , at extreme pH	253	Liquid crystal stationary phase	477
- , calibration of	83	- crystals, nematogenic	477
- , capillary column	467	- diffusivity, in GC	166
- , counter-current, semi-continuous	149	- liquid extraction	228
- , efficiency of	244	- phases, immobilised	553, 560
- , eluent intermolecular reactions	312	- solid chromatography	143
- , gradient elution	139, 249	- stationary phase, in GC	472
- , intermolecular interactions in	143	log k' versus solvent composition	209
- , ligand exchange	200, 686		
- , micro	337, 341,	McReynolds constants	370
	445	Mass transfer, in GC	166
- , miniaturised	125	- - , thick films	553
- , moving bed	149	Metal chelates, GC of	418
- , of anti-tumor Pt compounds	333	- complexes, separation of	693
- , - α -amino acids	203	Methacrylate with epoxy groups, for LC	545
- , - aromatic acids	249, 633	Methyldemeton, GC of	673
- , - aspartyl peptides	205	Methylene increments	592, 600,
- , - bendrofluazide	101		616
- , - benzene derivatives	545	- selectivity in LC	228

Methylmethacrylate-styrene, analysis of	375	Pesticides, capacity factors of	699
– silicone, chemically bonded	560	–, chemical structures of	696
Mg carbonate adsorption properties of	191	pH, effect in ion-exchange	394
– thermally treated	191	– mobility curves	426
– oxide adsorption properties of	191	Pharmaceutical analysis	399
– thermally treated	191	Phase combination, in GC	160
Micro-cells, flow-through	322	– soaking, defocussing	364
– electrodes	467	– –, in GC	357, 361
Mixed solvents, for capillary coating	451	– transitions	370
Mobile phase, long chain amine additive	264	Phenidone complexes	426
Molecular connectivity index	337	Phenol, retention of in LC	312
Monomeric iminodiacetate silica	200	Phenolics, in wine by LC	249
Mon-substituted alkylbenzenes	603	Phenols, by LC	280
MS, fast atom bombardment	679	– in biological materials	275
–, selective ion monitoring	377	– – gases	276
Multicomponent diffusion	310	– – waters	274
– parameter equation	664	– quantitation of	274
– relationships	664	Phenylbutazone, GC of	381
		l-phenyl-3-pyrazolidinone	426
Na-l-naphthalene sulphonate, stationary phase	691	Photoionisation detectors	160
2-naphthalene sulphonate, stationary phase	691	pK, effect in ion-exchange	394
Natural gases, by GC	44	Plant effluent analysis	424
Ni dithiocarbamate complexes	16	Platinum compounds, anti-tumor	333
Non-aqueous eluents, in LC	215	Polar stationary phases	486
– segmented flow, for reaction detector	125	Polarity and film thickness	484
N-P detector	505	–, optimisation of	481
		–, temperature dependence of	481
n-Octadecanol films	491	Polarographic detection	322, 333
– –, in GC	93	Pollution, from building plastics	539
Octadecyl-bonded porous glass	157	Polychlorophenols	195
– phases, properties of	437	Polycyclic aromatic hydrocarbons – see PAH	
– silica	341	Polymeric iminodiacetate silica	200
ODS films, phase transitions in	157	Porapak N	44
– reverse phases, comparison of	675	μ Porasil	469
Open-tubular column – see capillary column		Porous polymers	88
Organic acids in man	168	– –, in LC	312
– modifiers, in ion-exchange	394	Post-column pyrolysis GC	375
– pollutants, polar	88	– – reaction	449
– trace analysis	539	Potentiometric detector, for LC	467
– volatiles	411	Preparative GC, multiple step	33
OV-1	549	Procaine, GC of	382
– -7	300	Purge and trap parameters	421
– -17	300, 319,	Pyrograms, evaluation of	29
	418	Pyrolysis GC	29
– -101	300		
– -351	70, 549	Rapid GC	44
Oxfenicine, LC of	23	Reaction detector, post-column	4, 125
Oxygenates, GC of	65	– GC	160
		Reactor, open tubular	126
Packing conditions, optimum in LC	303	–, packed bed	125
PAH, average molecular polarisabilities	300	–, types	127
–, by capillary GC	477	Reagent degradation products	185
–, GC of	300	Retention and dipole moment, in LC	545
–, LC of	132	– behaviour, of chlorobenzenes	195
–, retention data for	300, 445	– –, chlorophenols	195
Paper chromatography	315	– characteristics, in LC	653, 661
– –, of aliphatic amines	640	– data correlation	337
– electrophoresis	426	– –, and physical parameters	337, 341
Partition coefficients	565	– –, prediction of	445
– –, determination of	655, 658	–, in LC	27
– –, in LC	37	– increments	589, 600
Pattern recognition	29	– index and indices – see RI	
Peak area, influence of flow rate	4	– mechanism	432
– broadening, in capillary GC	357, 361	– –, in LC	657
– deformation	357, 361	–, mobile phase effect	9
Pemoline, GC of	383	–, parameters	431
Peptide analysis, by LC	205	– plots	593
– antibiotics, GC of	679	– –, regression of	592
– –, LC of	679	–, stationary phase effect	9
– –, TLC of	679	– times, of benzoic acid	251
Permeation device	47	– –, cinnamic acid	251
Permissible losses, in trapping	75	– volumes, of n-alkenes	219

Reverse-phases, comparison of	675	— —, properties of	370
R _f values	79	— —, solvent generated	653
— —, in LC	37	Stefan-Maxwell equations	310
— —, of peptaibols	682	Steroids, elution sequence	671
RI	587, 589, 597, 600, 605, 613	—, LC of	669
—, and b.p.	605	Sterols, removal of	140
—, — dipole moment	605	Stilbellin, LC of	679
—, low temperature programmed	605	Structural retention parameters	433
—, monitoring	550	Structure, of stationary phase	445
—, of alkylbenzenes	664	Supercritical fluid chromatography	451
—, — amines	621	Surface coverage, by bonded phases	200
—, — free fatty acids	549	— excess values, from TLC	224
—, — PAHs	300	Sympathomimetic drugs	16
—, on carbon	521, 526, 533	Teflon flow cell, for LC	259
—, prediction of	83	— membranes	47
—, reproducibility	605	Tenax-GC	411, 421
—, temperature dependence of	481	Ternary and binary complexes	16
—, — effect on	602	— liquids, phase diagram of	655
Salicylamide, as internal standard	101	— mobile phases	695
Samarosporin, LC of	679	— systems, non-aqueous	653
Sample capacity, of thick films	565	Thermal desorption	88
— enrichment	377	Thermionic detection	505
— —, for GC	387	Thermodynamic assessment of chromatographic activity	315
— solvent, in GC	357, 361	— parameters	27
Schiff bases	319	Thermodynamics, of paper chromatography	640
— —, from bacterial amines	318	—, — TLC	640
SE-30	70, 195, 300	Thick-film capillaries, column efficiency	560
SE-52	300, 441, 605	Thin-layer chromatography — see TLC	
Selectivity, in LC	9, 83	Thorin I	266
Semicontinuous LC	149	TLC	315
Sensory evaluation	413	—, chemically bonded stationary phases	79
Separation, optimisation of	9	—, in quantitative analysis	705
Silica-bond, non-macrocyclic ligand	669	—, of aliphatic amines	640
—, carbonised for LC	627	—, — ethyl phenols	261
— gel, C ₁₆ bonded	312	—, — ionorganic ions	454
— —, diphenylsilyl modified	143	—, — phenylenediamines	261
— —, in LC	312, 449	—, — xanthates	487
— —, — TLC	79, 221	—, on cellulose	454
Simulated moving bed chromatography	149	—, — silica gel	79
Size exclusion chromatography	149	—, — starch	454
Slurry packed capillary columns, for LC	303	— purification	97
Small-bore columns, in LC	244	—, R _f values	626
Sodium nitrite, by LC	367	—, sandwich	221
Solids injector	505	TMS amines	319
Solubility parameters	27	Toluene on active carbon	88
Solvent impurities, analysis of	387	Trace analysis	41, 387
— peaks, tailing	505	— —, by GC	75
— polarity	387	Trapping of volatiles	387
— trapping, role of	357	Trifluoroacetylacetone	449
Sorbitol, GC of	441	Trimethylsilyl derivatives, GC of	441
Sorbose, GC of	441	Two-dimensional columns, in LC	121
Specific retention volumes	613	Vacancy peak	341
Spherisorb-OD5	305	van der Waals' volume, and retention	337
Standard gas generator	47, 503	Warburganl intermediate, stereochemistry of	623
— — mixtures	47, 503	Water analysis	421
Stationary liquid, bleeding of	472	— —, by GC-MS	377
— —, evaporation of	472	Xanthate complexes, LC of	486
— phase, formation	215	Xanthates, decomposition of	487
—, loading	660	X-ray analysis	623
— —, polarity of	589		

Chromatographia Vol. 17, 1983 Key Word Index

Adsorption chromatography column packings	627	Coal-derived products	431
- desorption efficiency	497	Coffee	411
- from solutions	143, 221, 312	Column efficiency	244
- HPLC	469	- liquid chromatography	679
- properties	191	- switching	160, 367
Air pollution from plastics for building	539	- void time	341
Alkyl benzenes	600, 664	Comparison of methods for determination of	
Alumina	394, 701	adsorption layer capacity	221
Amines	318	Complexes with metal ions	426
Amino acids	686	Computer program	29
α -Amino acids	23	Concentration	411
Amperometric detection	322	Conformation of bonded chains	143
Analysis of methyldeeton	673	Controlled porosity glass	157, 437
- solvent impurities	387	Copolymers	375
Anion exchanger	693	Copper dithiocarbamates	37
Anti-tumor platinum compounds	333	Correlation analysis	132
Aromatic acids	633	- between retention data and physical parameters	337
Aspartyl peptides	205	- and descriptors	445
Atmospheric pollutants	88	Cryogenic focussing	421
Atom-atom oxygen ... carbon potentials	526	Cyanylpropyl polysiloxane	570
Automatic identification	549	Cyclic ethers and ketones	526
Average molecular polarizability	300		
		Dead time determination	215
Bacteria	318	Dead volume	209
Basic drugs	394	Detectors	241
Bendrofluazide	101	Dextran fractionation	149
Benzoic acids	249	Dichlorophenol isomers	691
Bi-sensor electrode detector	322	Differential pulse amperometry	333
Bonded alkyl chain length	228	- thermal analysis	93, 491
- phases	79	Diffusion coefficients	310, 553
- stationary phase	449	Dimethyl and hydroxylated derivatives of	
p-Bromophenacyl esters	185	dimethylbenz(a)anthracene	675
n-Butyl esters of fatty acids	328	Dinonyl phthalate	166
		Dipole moment and liquid chromatography	
Calibration	83	retention	545
- mixtures	503	Dissociation constant	633
Capacity	33	Doping analysis	381
- factors	132	Dual-step separation	33
Capillary chromatography	570		
- columns	303	Effect of chain length on bonded stationary phase	337
- G.C.	357, 361, 387, 451, 549	- the structure of stationary phase	445
- packed adsorption columns	533	Electron-capture detection	185, 381
- columns	259	Electrophoretic method	426
- supercritical fluid chromatography	451	Emerimicin	679
Carbonised silica	627	Enantiomeric purity	23
Carbon-silica adsorbents	93, 491	- resolution	686
C ₁ -C ₄ Carboxylic acids	185	Enrichment factor	75
n-Carboxylic acids & methyl esters	70	Esterification in aqueous solution	328, 493
Carotenid pigments	139	Ethylphenols	261
Catecholamines	125	l-Ethylpyridinium Bromide	370
Chemically bonded, non macrocyclic ligands	669	Exclusion chromatography column packings	627
- silica	200	Extreme pH	253
- modified layers in LC	143		
Chlorinated benzenes	195	Fatty acids	549
- catechols	154	- analysis	328, 493
- phenols	154, 195	Fast atom bombardment MS	679
Cholesterol oxides	469	Femtolitre cell volume	467
Cinchona alkaloids	264	Flame ionization detector	241
Citrus	139	Flow rate stability	4
		Food analysis	97
		Fractionated evaporation	387
		Furan derivatives	166

VOL.
17
1983

<i>Fusarium</i> mycotoxins	97	LC	4, 9,
Fused-silica capillary columns	65		16, 97,
			101, 121,
Gamma-radiolical products	41		143, 200,
Gas adsorption chromatography	526, 533		205, 215,
Gases released from plastics	539		253, 259,
Gas-solid chromatography	521		264, 269,
GC	33, 44,		303, 394,
	65, 75,		431, 437,
	191, 241,		486, 545,
	269, 300,		627, 701
	318, 328,	—, reversed phase	83, 139,
	370, 381,		209, 669
	418, 421,	Ligand exchange chromatography	686, 701
	472, 481,	Linear-temperature-programmed retention indices	605
	493, 553,	Liquid crystals	477
	560, 589,	— diffusivity	166
	597, 600,	— liquid extraction	228, 653
	613, 664,	— — partition	37
	673, 691	— phase bleeding	472
GC-concentration	75	— solid chromatography	221, 695
— FTIR	560	— stationary phase	472
— MS	377, 411,		
	441	Macro porous polystyrene gel and the ion-exchange	
— Mass spectrometry of organic traces	539	resins	633
Gel-permeation chromatography	149	McReynolds constants	370
Glass-capillary GC	185, 195,	Metal-complexing ligands	200
	477	— ion analysis	79, 449
GLC	505, 623	Methods of preparation of standard gaseous mixtures	503
Graphitised carbon black	533	Methylene selectivity	228
— thermal carbon black	526	Micro-HPLC	337, 445
		— LC systems	259
Headspace	411	Miniaturized HPLC	125
— analysis	387	Mixed solvents	451
Herbicides	377	Mixing of gas streams	503
Higher aliphatic amines	640	Modification of alumina	253
History of chromatography	241	Molecular structure and adsorption	533
Homologous esters	589	Multicomponent diffusion	310
— series	9	Multiparameter equations	664
HPLC	23, 27,		
	132, 249,	Natural gas analysis	44
	322, 449,	Nickel dithiocarbamate complexes	16
	469, 623,	Nitro-PAH	605
	675	Non-aqueous eluents	215
— retention	333	— — ternary liquid-liquid systems	653
— separation	41	— segmented open-tubular reactors	125
Hydrophobicity	633	N-P detector	505
Hydrophobic properties	261		
p-Hydroxybenzoic acid as complexing agent	693	n-Octadecanol films	93, 491
Hydroxycinnamic acids	249	Octadecyl bonded phase	157, 437
Hypertensi	41	Octadecylsilyl column	264
		Open-tubular columns LC	467
Immobilised ionophores	669	— — (capillary) columns	553, 560
— liquid phases	553, 560	Optimization	9, 209
Infra-red detection	259, 695	Organic molten salt	370
Inorganic analysis	486	Oxfenicine	23
— ions	454	Oxygenates	65
Interaction indices	9, 83	O-V 17	318
Intermolecular interactions	143	— 351	70
— — with eluent	312		
Internal calibration	88	Packed-bed reactors	125
— standard	673	— columns	597
"Inverse" GC	157, 491	Paper chromatography	315, 640
Ion exchange	253, 394	5 and 10 μ m particles	675
— — chromatography	693	Pattern recognition	29
— pair	633	Peak deformation	357, 361
IR direct monitoring	341	Peptide analysis	205
iso butyl esters of C ₁ –C ₂₀ fatty acids	493	— antibiotics (peptaibols)	679
Isoprene, monoterpenes	497	Permeation devices	47
		Pesticides	695
		Phase soaking	361
		Phenols	269, 701

Phenylcyclohexanes, phenyl- and biphenylalkenes and alkynes, bicyclohexyl, bicyclohexylmethane	521	Sensitivity on-line detection	333
Phenylenediamines	261	Separation of metal chelates	418
1-Phenyl-3-pyrazolidinon (phenidone)	426	— — — complexes	693
Photoionization detector	160	Simulated moving-bed	149
Physicochemical properties	664	Simultaneous determination	70
Polarity	481	Slurry packing	303
Polarographic detection	322	Small bore column	244
Polycyclic aromatic hydrocarbons	132, 300, 445, 477	Sodium benzenesulfonate	691
Poropak N	44	— nitrate	367
Porous copolymer containing epoxy groups	545	Solid absorbents	497
Post-column pyrolysis	375	Solids injector	505
— — — reaction	449	Solubility parameters	27
— — — -detection	125	Solvent generated stationary phase	653
— — — -detector	4	— trapping	357
Potentiometric detection	467	Sorbents of different activity	315
Preparative scale chromatography	33	Sorbose, fructose and sorbitol	441
Purge and trap sampling	421	Stability	101
Pyrolysis-GC	29, 375	Standard gas generator	47, 503
— of dichloromethane	627	Starch and cellulose	454
Qualitative analysis	160	Static coating	451
Quantitative analysis	4	Stationary phases	481, 570
Quartz capillary GC	70, 154	— — formation	215
Reaction gas chromatography	160	— — polarity	589
Reagent degradation products	185	— — properties	370
Relationship between retention and boiling point	605	Steroids	669
— — — — dipole moment	605	Stilbellin	679
Relative retentions	605	Sympathomimetic drugs	16
Reproducibility	605	Temperature dependence	481
Retention behaviour	195	Ternary solvents	209
— indices	160, 300, 549, 589, 597, 600, 613, 664	Theoretical evaluation	75
— of nonpolar and polar benzene derivatives	545	Thermal desorption	88
— on graphitised carbon black	521	— treatment of MgO and MgCO ₃	191
Reversed-flow GC	310	Thermodynamic characteristics	315, 640
Reversed-phase	9, 431	— description of retention	27
— — chromatography	205, 337, 445	— relationships	613
— — columns	675	Thick-film columns	553, 560
— — HPLC	244, 341, 367, 469	Thin-layer chromatography	79, 221, 261, 315, 455, 640
— — LC	228	— — flow-through micro cell	322
— — thin layer chromatography	205, 337, 445	TMS derivatives	441
R _f values, partition coefficients, structure of chelates and chemically bonded phases	37	Trace analysis	75, 387
Samarosporin	679	Trapping on solvents	387
Sample enrichment	377	Trichothecenes detection	97
Schiff bases	318	Tricyclic hydrocarbon separation	533
SE 30	70, 154	Two-dimensional columns	121
Selectivity	9, 83	Vacancy peak	341
— in LC	312	Warburganal intermediates	623
		Water analysis	377, 421
		— organic mixtures	394
		Wine phenolics	249
		Xanthene complexes	486
		X-ray	623

Chromatographia Vol. 17, 1983 Author Index

Adlard, E. R.	169, 421	Drucker, D. B.	318
Ageev, A. N.	545	Duffield, A. M.	16
Alsop, R. M.	149		
Alvarez, R.	166	Ebel, S.	345, 576
Amateis, Patricia G.	431	Eggers, H.	486
Apffel, J. A.	125	Elliott, G. E. P. E.	399
Aratskova, A. A.	312, 545	Emelyanov, I. D.	75
Arbogast, J. K.	449	Enqvist, J.	549
		Ettre, L. S.	553, 560
Bao, M. S.	244		
Barker, P. E.	149	Fárcaş, A.	673
Barroso, C. García	249	Feltl, L.	533
Bazylak, G.	191	Ferguson, D. A.	507
Beaver, L. A.	121	Fishbein, L.	108
Belyakova, L. D.	545	Flipper-Anderson, J. L.	623
Berezkin, V. G.	472	Frei, R. W.	125
van den Berg, J. H. M.	4	Freyholdt, T.	215
Bermejo, J.	664	Frigerio, A.	576
Billiet, H. A. H.	253, 394	Fritz, J. S.	168
Bladt, S.	576	Fröbe, Z.	467
Blomberg, S.	387	Fujimoto, C.	259
Bottalico, A.	97		
Boumahraz, M.	143	de Galan, L.	253, 394
Bounias, M.	705	Gavrichev, V. S.	472
Bounine, J. P.	209	Gavrilina, L. Y.	75
Bownik, M.	503	Gierak, A.	627
Bradshaw, J. S.	570	Gilardi, R.	623
Brinkman, U. A. Th.	125	Gimpel, M.	200
Brückner, H.	679	Gjerde, D. T.	168
Bruner, F.	377	Gluckman, J. C.	303
Buszewski, B.	437	Gluzinski, L.	132
Bylina, A.	132	Golovnya, R. V.	613
		Gonnord, M.-F.	9, 121
Caddock, B. D.	65	Gonzales, M. Elizade	143
Canic, V.	454	Grigoryeva, D. N.	613
Cantle, J. E.	399	Grob, G.	481
Castle, L. W.	570	Grob, K.	481
Chalmers, R. A.	168	Grob, Jr. K.	357, 361
Chi, A. H.	205	Guenier, J. P.	88
Chitra	701	Guillen, M. D.	664
Churms, S. C.	230	Guiochon, G.	9, 83, 121, 209, 228
Coca, J.	166		
Coleman, M. W.	23	Guzek, M. E.	426
Colin, H.	9, 83, 209, 228	Gvozdoch, T. N.	545
Crump, G. B.	507		
Czapinska, K.	221	Haddad, P. R.	16
		Haken, J. K.	589
Davankov, V. A.	686	Hala, S.	169
Davenport, J. N.	421	Hanai, T.	633
Davydov, V. Ya.	143	Hartley (nee Dinh), H. N. T.	589
Dawidowicz, A.	157, 437, 627	Hassan, S. M.	101
Debackere, M.	381	Henry, J. B.	79
Deelder, R. S.	4	Hirose, A.	303
Delbeke, F. T.	381	Hoes, R. M.	605
Delcourt, J.	88	Hsing, C. Y.	205
DenBleyker, K. T.	449	Huber, J. F. K.	653
Desmet, N.	381	Hubert, J.	633
Didden, C. B. M.	4		
Dimitrova, M.	29	Iqbal, M.	701
Dimov, N.	29, 375	Iwata, Y.	695
Dominguez, J. M.	166		

Jack, D. B. 399, 576, 705
 Jandera, P. 9, 83
 Janssen, F. 477
 Jin, H. L. 205
 Jin, H. Z. 205
 Jinno, K. 259, 337, 341,
 367, 445
 Jones, A. V. 169
 Jones, B. A. 570
 Jork, H. 345
 Julin, L. 549
 Jung, G. 679

 Kálal, J. 545
 Kalashnikova, E. V. 521
 Karaïskakis, G. 310
 Katsanos, N. A. 310
 Kawasaki, K. 337, 445
 Kemula, W. 322
 Kiselev, A. V. 143, 312, 521,
 526, 533, 539,
 545
 Knuutinen, J. 154
 Kocjan, B. 261, 266
 Kong, R. C. 451
 Kopoldová, J. 41
 Korczak, B. 261
 Korhonen, I. O. O. 70, 154, 195
 Kowalska, T. 315, 640
 Krstulović, A. M. 9, 209, 228
 Kuei, J. C. 570
 Kuras, M. 169
 Kurganov, A. A. 686
 Kutner, W. 322

 Lamparczyk, H. 300
 Larsson, M. 185
 Laurent, C. 253
 Laurent, C. J. C. M. 394
 Lawson, A. M. 168
 van der Lee, H. H. J. 333
 Lee, M. L. 230, 451, 570
 Leppard, J. P. 705
 Lesniak, K. 132
 Li, C. X. 205
 Li, J. Z. 244
 Lin, Y. 205
 Lockwood, A. F. 65
 Loesch, C. H. 669
 Low, G. K. C. 16
 Lu, P. C. 244
 Lu, Y. J. 205

 Macrae, R. 456
 Maltsev, V. V. 539
 Mangani, F. 377
 Marhol, M. 169
 Markl, P. 653
 Markosyan, D. L. 526
 Markowski, W. 221
 Masłowska, J. 191, 418, 426,
 693
 Masuda, Y. 691
 Mathieu, J. 497
 McCalley, D. V. 264
 McClure, G. L. 560
 McGuffin, V. L. 303
 McWilliam, I. G. 241
 Milina, R. 29, 375
 Mocanu, A. 673
 Möckel, H. J. 215
 Molnár-Perl, I. 328, 493

Muller, J. 88
 Munier, R. L. 705
 Munson, James W. 399

 Namiesnik, J. 47, 503
 Nazarova, V. I. 533
 Niotis, A. 310
 Noga, G. 139
 Novina, R. 441
 Novotny, M. 303

 Ono, A. 691
 Ozaki, N. 341

 Pacáková, V. 269
 Pacholec, F. 370
 Papadopoulou-
 Mourkidou, E. 695
 Pawłowska, M. 653
 Penczek, P. A. 132
 Pérez-Bustamante, J. A. 249
 Perišić-Janjić, N. 454
 Piętek, M. 693
 Pinedo, H. M. 333
 Pohlandt, C. 168
 Poole, C. F. 370
 Popl, M. 169
 Poppe, H. 221
 Postma, G. J. 333
 Przeszlowski, S. 266
 Przybylski, M. 679

 Radecki, A. 300
 Radosavljević, S. 454
 Radwański, B. 132
 Randrianalimanana, E. 497
 Rawat, J. P. 701
 Rayss, J. 93, 157, 437,
 491
 Reid, E. 705
 Reznikov, V. I. 33
 Riba, M. L. 497
 Richon, K. 467
 Richter, B. E. 570
 Robbat, Jr. A. 605
 Roeraade, J. 387
 Roos, C. 185
 Rüssel, H. A. 486

 Saada, B. 539
 Sakodinski, K. I. 33
 Sato, T. 341
 Scanlon, B. 168
 Schilling, B. 361
 Schunk, W. 37
 Schwedt, G. 37
 Shanfield, H. 411
 Shcherbakova, K. D. 521, 533
 Sheikh, B. 675
 Shen, C.-S. J. 469
 Sheppard, A. J. 469
 Simon, W. 467, 669
 Simpson, C. F. 456
 Siouffi, A. M. 121
 Škrbić, B. D. 44
 Skubiszewska, J. 491
 Sliwiok, J. 261
 Smith, F. J. 456
 Smolková-
 Keulemansová, E. 533
 Srisukh, D. 589
 Starzyński, S. 418

Stock, R. 108, 168
 Sunila, P. 549
 Suprynowicz, Z. 157, 437
 Suratman, J. B. 597
 Surowiec, K. 93, 491
 Svec, F. 545
 Sweet, T. R. 79, 449
 Szakács-Pinter, M. 328, 493
 Szántó, J. I. 27

Tavakkol, A. 318
 Taylor, L. A. 431
 Tchaplá, A. 228
 Tesarova, E. 269
 Tomaszewski, J. E. 675
 Torres, L. 497, 503
 Torrijos, R. Cela 249
 Touchstone, J. C. 456

Unger, K. 200

Valovoy, V. A. 539
 Vernon, F. 597
 van der Vijgh, W. J. F. 333
 Visconti, A. 97
 Vlachogiannis, G. 149
 Vlasáková, V. 41
 Volkov, S. A. 33

Wagner, H. 576
 Waksmundzki, A. 93, 491, 627
 Walters, J. D. 560
 Wang, J. D. 244
 Wang, T. H. 411
 Warthen, J. D. 623
 Waters, R. M. 623
 White, C. M. 605
 Wilczyński, D. 300
 Williams, C. R. 456
 Wimmer, H. 345
 Winskowski, J. 160
 Worobey, B. L. 505

Yashin, Ya. I. 312, 545
 Yieh, Y. H. 205
 Yun, Z. 9

Zakaria, M. 121
 Zel'venskii, V. Yu. 33
 Zgainski, E. M. 576
 Zhao, C. 205
 Zheivot, V. I. 75
 Zlatkis, A. 411
 Zlatković, M. J. 44